REFERENCES:

[1] Amin F. M. Fahmy, **(2006)**, Heterocycles as Versatile Building Blocks in Different Synthetic Strategies, *Arkivoc*, Ichc-**20**, 395-415.

[2] Chen M., Christesen S.B., Blom J., Lemmich E., Nadelmann L., Fich K., and Fich L., Theander T.G.and Kharazmi A., **(1993)**, Licochalcone-A, a novel antiparasitic agent with potent activity against human pathogenic protozoan species of Leishmania, *Antimicrob Agents Chemother*, **37(12)**, 2550-2556.

[3] Chen M., Christensen S.B. and Theander T.G. and Kharazmi A., **(1994)**, Antileishmanial activity of licochalcone-A, in mice infected with Leishmania major and in hamstaers infected with Leishmania donovani, *Antimicrob Agents Chemother*, **38(6)**, 1339-1344.

[4] Chen M., Christensen S.B., Zhai L., Rasmussen M. H., Theander T. G., Frekjaer S., Steffansen B., Davisen J. and Karazmi A., **(1997)**, The novel oxygenated chalcone, 2,4-dimethoxy-4'-butoxychalcone, exibits potent activity against human malaria parasite Plasmodium Falsiparum in vitro and rodent parasites Plasmodium Berghei and Plasmodium Yoelii in vivo, *Journal of Infectious Diseases*, **176**, 1327-1333.

[5] Hiremath S.P., Rudresh K., Saundan A. R., **(2002)**, Synthesis and biological activities of new 5-hydrazino-10-sunstituted-7H-indolo [2,3-methyl pyrazol-5ones and -3,5-disubstituted pyrazolines, *Indian J Chem*, **41B(2)**, 394-399.

[6] Souza F.R., Sauaza V.T., Ratzaff V., Borges L.P., Olivora M. R.,. Bonacorso H.G, Zonatta N., Martins M.A.P. and Mello C.F., **(2002)**, Hypothermic and antipyretic effects of 3-methyl and 3-phenyl-5-hydroxy-5-trichloromethyl-4,5-dihydro-1H-pyrazole-1-carboxyamides in mice, *Euro-pean Journal of Pharmacology*, **451(2)**, 141-147.

[7] Tripathy R., Ghose A., Singh J., Bacon E.R., Angoles T. S., Yang S.X., Albom M.S.. Aimone L.D., Herman J.L., Mallamo J.P., **(2007)**, 1,2,3-Thiadiazole substituted pyrazolones as potent KDR/VEGFR-2 kinase inhibitors, *Bioorg. Med Chem. Lett*., **17(6)**, 1793-1798.

[8] Lamberth C., **(2007)**, Pyrazole Chemistry in Crop Protection,*TheJapan Institute of Heterocyclic Chemistry,***71(7)**, 1467-1502.

[9] Shaaban M.R., Saleh T.S., Farag A.M., **(2007)**, Synthesis and antimicrobial evaluation of novel pyrazolo, pyrimidine, triazolo pyrimidine and pyrimido benzimidazole derivatives, *The Japan Institute of Heterocyclic Chemistry,***71(8)**, 1765-1777.

[10] Parmar J.M., Modha J.J. and Parikh A.R., **(1999)**, Synthesis of azetidiones and thiazolidinones from hydrazinopyrimidine as potential antimicrobial agents, *Indian J. Chem.*, **38B (04)**, 440-444.

[11] Hamman A.G., Hussain S.M. and Kotob I.R., **(1990)**, Synthesis and reactions of 2-mercapto-4aryl-4H-1,2,3,4,5,6-hexahydra-benzo[h]quinazolines,*Phosphorous; Sulphur and Silicon and the Related Elements*,**47(1-2)**, 47-51.

[12] Ahluwalia V.K., Sahay R. and Das U., **(1999)**, Synthesis and antimicrobial activity of 1,3,5-triaryl-10-benzyl-1,2,3,4,6,7,8,9-octahydro-8,8-dimethyl-4,6-dioxo-2-thioxo-5H,10H,pyrimido [4,5-b] quinolones, *Indian J. Chem*. **38B(9)**, 1136-1138.

[13] Atwal K.S. and Moreland S., **(1991)**, Dihydropyrimidine calcium channel blokers 5^1: bicyclic dihydropyrimidines as potent mimic of dihydropyridines, *Bioorganic and medicinal chemistry letters*,**1(6)**, 291-294.

[14] Lednicer D.**, (2007)**, The Organic Chemistry of Drug Synthesis, *A John Wiley and Sons, Inc Publication, North Bethesda*, **7**, Page 122.

[15] Menon R.G. and Purushotham A.N., **(1996)**, *Journal of Indian Chem. Soc.*, **35**, 1185.

[16] Kadu V.B. and Doshi A.G., **(1998)**, Synthesis and antimicrobial activity of 2-amino-4(2-hydroxy-3,4-benzophenyl)-6-(substituted phenyl) pyrimidines and 2(2H)-pyrimidinones, *Res. J. Chem. Environ.,* **2 (1)**, 69-71.

[17] Elinson M.N., Feducovich S.K., Vereshchagin A.N., Gorbunov S.V., Nikishin G.I., **(2006)**, Electrocatalytic multicomponent cyclization of an aldehyde, malononitrile and malonate into 3-substituted-2,2-dicyanocyclopropane-1,1-dicarboxylate-the first one-post synthesis of a cyclopropane ring from three different molecules, *Tetrahedron Letters,* **47(51)** , 9129-9133.

[18] Cechinel F.V., de Campos F., Correa R., Nunes J.R., and Yunes R.A., **(2003)**, Aspectos quimicose potencial terapeutico de imidas cyclicas: uma, Revisao da Literatura, *Quim. Nova*, **26**, 230-241.

[19] Benjamin E., Hijji Y., **(2007)**, Novel Microwave Synthesis of Un-substituted Cyclic Imides, *ECSOC*-**11**.

[20] Gilchrist T.L., **(1999)**, Synthesis of Aromatic Heterocycles, *J. Chem. Soc., Perkin Trans.* **1**, 2849-2866.

[21] Doan T.N., Dao T.T., **(2011)**, Synthesis, Antioxidant and Antimicrobial Activities of a Novel Series of Chalcones, Pyrazolic Chalcones and Allylic Chalcones, Scintific Research, *Pharmacology and Pharmacy*, **2**, 282-288.

[22] Shibata S., **(1994)**, Anti-tumorigenic Chalcones, Stem Cells, *AlphaMed Press*, **12(1)**, 44-52.

[23] Jamal H., Ansari W.H., Rizvi S.J., **(2009)**, Chalcones: Differential effects on glycogen contents of liver, brain and spinal cord in rats, *Toxeminar-1, Biology and Medicine,* **1 (2)**, 107-115.

[24] Sharma B., Agrawal S.C., Gupta K.C., **(2010)**, Chalcones a New Class of Potential Non- Azo Dyes, *International Journal of Chemistry Research,* **1(1)**, 25-28.

[25] Mederski W.W.K.R., Baumgarth M., Germann M., Kux D.and Weitzel T., **(2003),** A Convenient Synthesis of 4-Aminoaryl Substituted Cyclic Imides, *Science direct, Tetrahedron Letters,* **44**, 2133-2136.

[26] Prado S.R.T., Cechinel-Filho V., Campos-Buzzi F., Correa R., Cadena S.M.S. and Martinelli de Oliveira M.B., **(2004)**, Biological evaluation of some selected Cyclic Imides: Mitochondrial Effects and in vitro Cytotoxicity, Z. *Naturforsch,* **59c**, 663-672.

[27] Kolyamshin O.A., Danilov V.A., **(2004)**, N-Aryl-2-dialkylaminosuccinimides, *Russian Journal of Organic Chemistry,* **40**, 982-985.

[28] Shetgiri N.P., Nayak B.K., **(2005)**, Synthesis and antimicrobial activity of some succinimides, *Indian Journal of Chemistry*, **44B**, 1933-1936.

[29] Guevara-Salazar J.A., Espinoza-Fonseca M., Beltran H.I., Correa-Basurto J., Zavala D.Q. and Trujillo-Ferrara J.G., **(2007)**, The Electronic Influence on the Active Site-Directed Inhibition of Acetylcholinesterase by N-aryl-Substituted Succinimides, *Journal of Mexican Chem. Soc.***51(4)**, 222-227.

[30] Wang Y.S., Chang N.C., Lin C.H. and Tai H.M., **(2008)**, Efficient Synthesis of 4,5-Disubstituted-3-toluenesulfonyl Glutarimides Application to the Formal Synthesis of Mappicine Ketone, *Journal of the Chinese Chemical Society,* **55(2)**, 431-434.

[31] Michalska D., Morzyk B., Bienko D.C., Wojciechowski W., **(2000)**, Glutarimide: A Carrier Transporting Drug Through Cell Membranes, *Medical Hypotheses*,**54(3)**, 472–474.

[32] Corradi A., Leonelli C., Rizzuti A., Rosa R., Veronesi P., Grandi R., Baldassari S. and Villa C., **(2007)**, New “Green” Approaches to the Synthesis of Pyrazole Derivatives, *Molecules,* **12(7)**, 1482-1495.

[33] Radi S., Salhi S. and Radi A., **(2010)**, Synthesis and Preliminary Biological Activity of Some New Pyrazole Derivatives as Acyclonucleoside Analogues, *Letters in Drug Design and Discovery,* **7(1)**, 27-30.

[34] Bole S.B., Nargund R., Venkatesh L., Nargund G., Devaraju K.S., Vedamurthy A.B. and Shruti S.D., **(2011)**, Synthesis and biological evaluation of novel pyrazole derivatives as urease inhibitors, Scholars Research Library, *Der Pharma Chemica*, **3 (5)**, 73-80.

[35] Yuvaraj S., Sunith D.K., Ahmed Riyaz T.K., Soumya E.N., Biji P.K., and Prajitha P.P., **(2009)**, Synthesis, Analysis and Antibacterial Evaluation of Pyrazole Derivative, *Hygeia*,**1(1)**, 36-37.

[36] Sharma R.N., Sharma K.P.and Dixit S.N., **(2010)**, Synthesis, Characterization, and Biological activities of Some New Arylazopyrazoles, *International Journal of Chem Tech Research*, **2(2)**, 800-806.

[37] Solankee A., Lad S., Solankee S. and Patel G., **(2009)**, Chalcones, pyrazolines and aminopyrimidines as antibacterial agents, *Indian Journal of Chemistry*, **48B(10)**, 1442-1446.

[38] Mohebbi S., Shirazi F.H., Seyed H.S. and Kobarfard F., **(2011)**, Introducing "Synthesis route-based hit identification approach" as a tool in medicinal chemistry and its application in investigating the anti-proliferative and antimicrobial effects of 2-aminopyrimidine derivatives, Bioinfo Publications, *International Journal of Drug Discovery*, **3(2)**, 78-87.

[39] Nofal Z.M., Fahmy H.H., Zarea E.S. and El-Eraky W., **(2011)**, Synthesis of new pyrimidine derivatives with evaluation of their anti-inflammatory and analgesic activities, *Polish Pharmaceutical Society, Acta Poloniae Pharmaceutica-Drug Research*, **68 (4)**, 507-517.

[40] Suneel Kumar K., Kanth A.V., Reddy K.T. and Omprakash G., **(2011)**, Synthesis and characterization of some novel Pyrimidines via Aldol Condensation, *J. Chem. Pharm. Res.*, **3(5),** 234-252.

[41] Singh K., Kaur H., Chibale K., Balzarini J., Little S. and Bharatam P.V., **(2012)**, 2-Aminopyrimidine based 4-aminoquinoline anti-plasmodial agents, Synthesis, biological activity, structure-activity relationship and mode of action studies, *Elsevier, European Journal of Medicinal Chemistry*, **52**, 82-97.

[42] Sharma V. and Sharma K.V., **(2011)**, Synthesis and biological activity of some 2-amino-4,6-substituted-diarylpyrimidines: reaction of substituted chalcones with guanidinium carbonate, *Rasayan J. Chem.*,**4(1)**, 17-23.

[43] Kim B.R., Won J.E., Park S.E., Lee H.G., Kim M.J., Jung K.J., Kim J.J. and Yoon Y.J., **(2009)**, Efficient Synthesis of 4,5,6-Trisubstituted-2-aminopyrimidines, *Bull. Korean Chem. Soc.*, **30(9)**, 2107-2110.

[44] El-Zahar M.I., Abd El-Karim S.S., Haiba M.E. and Khedr M.A., **(2011)**, Synthesis, Antitumor Activity and Molecular Docking Study of Novel Benzofuran-2-yl Pyrazole Pyrimidine Derivatives, *Polish Pharmaceutical Society, Acta Poloniae Pharmaceutica -Drug Research*, **68(3)**, 357-373.

[45] Sidhu A., Sharma J.R. and Rai M., **(2010)**, Chemoselective reaction of malononitrile with imine-ones and antifungal potential of products, *Indian Journal of Chemistry*, **49B (2)**, 247-250.

[46] Helmy N.M., El-Baih F.E.M., Al-Alshaikh M.A. and Moustafa M.S., **(2011)**, A route to dicyanomethylene pyridines and substituted benzonitriles utilizing malononitrile dimer as a precursor, *Molecules*, **16(1)**, 298-306.

[47] Bhuiyan M.M.H., Hossain M.I., Ashraful Alam M. and Mahmud M.M., **(2012)**, Microwave assisted knoevenagel condensation: synthesis and antimicrobial activities of some arylidene-malononitriles, *Scientific Journals,Chemistry Journal*, **02(01)**, 30-36.

[48] Ameta K.L., Rathore N.S. and Kumar B., **(2011)**, Synthesis of some novel chalcones and their facile one-pot conversion to 2-aminobenzene-1, 3-dicarbonitriles using malononitrile, *Analele University Din Bucuresti - Chimie (Serie Noua)*, **20(1)**, 15-24.

[49] Deng H., Haibei H., Mingqian H., Jieyu H., Weijun N., Ferrie A.M., and Fang Y., **(2011)**, Discovery of 2-(4-Methylfuran-2(5H)-ylidene)malononitrile and Thieno[3,2-b]thiophene-2-carboxylic Acid Derivatives as G Protein-Coupled Receptor 35 (GPR35) Agonists, *Journal of Medicinal Chemistry*, **54(20)**, 7385-7396.

[50] Hosni H.M. and Abdulla M.M., **(2008)**, Anti-Inflammatory and Analgesic Activities of some newly Synthesized Pyridinedicarbonitrile and Benzopyranopyridine Derivatives, *Acta Pharm.*, **58**, 175-186.

[51] Rajput S.S., **(2012)**, Synthesis and Characterization of Bis-Heteroyclic Derivatives of 1-(3-Chlorophenyl)-Pyrrolidine-2, 5-Dione, *International Journal of Advances in Pharmacy, Biology and Chemistry*, **1(2)**, 242-246.

[52] Kumar R., Jain S., Jain N. and Singh M., **(2008)**, Synthesis and Biological Evaluation of some Novel Analogue of p-Hydroxyaniline, *Acta Pharmaceutica Sciencia*, **50**, 183-188.

[53] Rajput A.P. and Girase P.D., **(2011)**, Synthesis, Characterization and Microbial Screening of Pyrazoline Derivatives of 2, 6-Dichloro-1-(N-Substituted Phenyl)-1, 4-Dihydropyridine-3, 5-Dicarbaldehyde, *International Journal of Pharmacy and Pharmaceutical Sciences*, **3(4)**, 214-218.

[54] Rajput A.P. and Bhadane S.J., **(2012)**, Synthesis of 2, 5-dichloro 3, 4-diformyl (N-substituted phenyl) pyrroles and their synthetic utility, *International Journal of PharmTech Research*, **4(2)**, 523-531.